

Preliminary Technical Data

ADM1024

FEATURES


- Up to 9 Measurement Channels
- Inputs Programmable to Measure Analog Voltage, Fan Speed or External Temperature
- External Temperature Measurement with Remote Diode (Two Channels)
- On-Chip Temperature Sensor
- 5 Digital Inputs for VID Bits
- LDCM Support
- I²C Compatible System Management Bus (SMBus)

- Chassis Intrusion Detect
- Interrupt and Overtemperature Outputs
- Programmable RESET Input Pin
- Shutdown Mode to Minimize Power Consumption
- Limit Comparison of all Monitored Values

APPLICATIONS

- Network Servers and Personal Computers
- Microprocessor-Based Office Equipment
- Test Equipment and Measuring Instruments

FUNCTIONAL BLOCK DIAGRAM



REV PrE

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices.

I²C is a registered trademark of Philips Corporation

One Technology Way, P.O. Box 9106, Norwood, MA 02062-9106, U.S.A.
 Tel: 617/329-4700 World Wide Web Site: <http://www.analog.com>
 Fax: 617/326-8703 © Analog Devices, Inc., 1998

PRODUCT DESCRIPTION

The ADM1024 is a complete system hardware monitor for microprocessor-based systems, providing measurement and limit comparison of various system parameters. Eight measurement inputs are provided, of which three are dedicated to monitoring +5V and +12V power supplies and the processor core voltage. The ADM1024 can monitor a fourth power-supply voltage by measuring its own V_{CC} . One input (two pins) is dedicated to a remote temperature-sensing diode. Two further pins can be configured as inputs to monitor a +2.5V supply and a second processor core voltage, or as a second temperature sensing input. The remaining two inputs can be programmed as general purpose analog inputs or as digital fan-speed measuring inputs.

Measured values can be read out via an I²C-compatible serial System Management Bus, and values for limit comparisons can be programmed in over the same serial bus. The high-speed successive-approximation ADC allows frequent sampling of all analog channels to ensure a fast interrupt response to any out-of-limit measurement.

The ADM1024's 2.8V to 5.5V supply voltage range, low supply current, and I²C compatible interface make it ideal for a wide range of applications. These include hardware monitoring and protection applications in personal computers, electronic test equipment, and office electronics.

ADM1024—SPECIFICATIONS ($T_A = T_{MIN}$ to T_{MAX} , $V_{CC} = V_{MIN}$ to V_{MAX} , unless otherwise noted)

Parameter	Min	Typ	Max	Units	Test Conditions/Comments
POWERSUPPLY					
Supply Voltage, V_{CC}	2.8	3.30	5.5	V	Interface Inactive, ADC Active ADC Inactive, DAC Active Shutdown Mode
Supply Current, I_{CC}		1.4	2.0	mA	
		1.0		mA	
		3	100	μ A	
TEMP. -TO-DIGITAL CONVERTER					
Internal Sensor Accuracy			± 3	$^{\circ}$ C	-40 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C $T_A = +25^{\circ}$ C
Resolution		± 1	± 2	$^{\circ}$ C	
External Diode Sensor Accuracy			± 5	$^{\circ}$ C	-40 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C +25 $^{\circ}$ C
Resolution		± 1	± 3	$^{\circ}$ C	
Remote Sensor Source Current	60	90	130	μ A	High Level
	3.5	5.5	7.5	μ A	Low Level
ANALOG-TO-DIGITAL CONVERTER (INCLUDING MUX AND ATTENUATORS)					
Total Unadjusted Error, TUE			± 2	%	Note 3
Differential Non-Linearity, DNL			± 1	LSB	
Power Supply Sensitivity		± 1		%/V	+25 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C (Note 4) -40 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C (Note 4) (Note 4)
Conversion Time (Analog Input or Int.Temp)		754.8	804.1	μ s	
		754.8	856.8	μ s	
Conversion Time (External Temperature)		9.6		ms	
Input Resistance (+2.5V,+5V, +12V, V_{CCP1} , V_{CCP2})	100	140	200	k Ω	High Resistance
Input Resistance (AIN1, AIN2)					
ANALOG OUTPUT					
Output Voltage Range	0		2.5	V	$I_L = 2$ mA
Total Unadjusted Error, TUE			± 3	%	
Full-Scale Error		± 1	± 3	%	No Load Monotonic by Design
Zero Error		2		LSB	
Differential Non-Linearity, DNL			± 1	LSB	
Integral Non-Linearity		± 1		LSB	
Output Source Current		2		mA	
Output Sink Current		1		mA	
FAN RPM-TO-DIGITAL CONVERTER					
Accuracy			± 6	%	+25 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C -40 $^{\circ}$ C $\leq T_A \leq$ +125 $^{\circ}$ C
			± 12	%	
Full-Scale Count			255		Divisor = 1, Fan Count = 153 Divisor = 2, Fan Count = 153 Divisor = 3, Fan Count = 153 Divisor = 4, Fan Count = 153
FAN1 and FAN2 Nominal Input RPM		8800		RPM	
(Note 5)		4400		RPM	
		2200		RPM	
		1100		RPM	

Specifications (Continued)

Parameter	Min	Typ	Max	Units	Test Conditions/Comments
Internal Clock Frequency	21.1 19.8	22.5	23.9 25.2	kHz kHz	+25°C ≤ T _A ≤ +125°C -40°C ≤ T _A ≤ +125°C
DIGITAL OUTPUTS NTEST_OUT Output High Voltage, V _{OH} Output Low Voltage, V _{OL}	2.4		0.4	V V	I _{OUT} = 3.0mA, V _{CC} = 2.85V - 3.60V I _{OUT} = -3.0mA, V _{CC} = 2.85V - 3.60V
OPEN-DRAIN DIGITAL OUTPUTS (INT, THERM, RESET, CI) Output Low Voltage, V _{OL} High Level Output Current, I _{OH} <u>RESET</u> And CI Pulse Width		0.1 45	0.4 100	V μA ms	I _{OUT} = -3.0mA, V _{CC} = 3.60V V _{OUT} = V _{CC}
OPEN-DRAIN SERIAL DATA BUS OUTPUT (SDA) Output Low Voltage, V _{OL} High Level Output Current, I _{OH}		0.1	0.4 100	V μA	I _{OUT} = -3.0mA, V _{CC} = 2.85V - 3.60V V _{OUT} = V _{CC}
SERIAL BUS DIGITAL INPUTS (SCL, SDA) Input High Voltage, V _{IH} Input Low Voltage, V _{IL} Hysteresis Glitch Immunity	2.2	500 100	0.8 ns	V V mV	
DIGITAL INPUT LOGIC LEVELS (ADD, CI, RESET, VID0-VID4, FAN1, FAN2) Input High Voltage, V _{IH} Input Low Voltage, V _{IL} NTEST_IN Input High Voltage, V _{IH}	2.2		0.8	V V	(See Note 6 for ADD) V _{CC} = 2.85V - 5.5V V _{CC} = 2.85V - 5.5V V _{CC} = 2.85V - 5.5V
DIGITAL INPUT CURRENT Input High Current, I _{IH} Input Low Current, I _{IL} Input Capacitance, C _{IN}	-1	20	1	μA μA pF	V _{IN} = V _{CC} V _{IN} = 0
SERIAL BUS TIMING Clock Frequency, f _{SCLK} Glitch Immunity, t _{SW} Bus Free Time, t _{BUF} Start Setup Time, t _{SU;STA} Start Hold Time, t _{HD;STA} SCL Low Time, t _{LOW} SCL High Time, t _{HIGH} SCL, SDA Rise Time, t _r SCL, SDA Fall Time, t _f Data Setup Time, t _{SU;DAT} Data Hold Time, t _{HD;DAT}			400 50 300 300 900	kHz ns μs ns ns μs μs ns μs ns ns	See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1 See Figure 1

NOTES

- ¹ All voltages are measured with respect to GND, unless otherwise specified
- ² Typicals are at T_A=25°C and represent most likely parametric norm. Shutdown current typ is measured with V_{CC} = 3.3V
- ³ TUE (Total Unadjusted Error) includes Offset, Gain and Linearity errors of the ADC, multiplexer and on-chip input attenuators, including an external series input protection resistor value between zero and 1kΩ.
- ⁴ Total monitoring cycle time is nominally m x 748μs + n x 9600μs, where "m" is the number of channels configured as analog inputs, plus 2 for the internal V_{CC} measurement and internal temperature sensor, and "n" is the number of channels configured as external temperature channels (D1 and D2).
- ⁵ The total fan count is based on 2 pulses per revolution of the fan tachometer output.
- ⁶ ADD is a three-state input that may be pulled high, low or left open-circuit.
- ⁷ Timing specifications are tested at logic levels of V_{IL} = 0.8V for a falling edge and V_{IH} = 2.2V for a rising edge.

ABSOLUTE MAXIMUM RATINGS*

Positive Supply Voltage (V _{CC})	6.5 V
Voltage on 12V V _{IN} Pin	+20V
Voltage on AOUT,	
NTESTOUT/ADD	-0.3V to (V _{CC} +0.3V)
Voltage on Any Other Input or Output Pin	-0.3V to 6.5V
Input Current at any pin (Note 2)	±5mA
Package Input Current (Note 2)	±20mA
Maximum Junction Temperature (T _{Jmax})	150 °C
Storage Temperature Range	-65°C to +150°C
Lead Temperature, Soldering	
Vapor Phase 60 sec	+215°C
Infra-Red 15 sec	+200°C
ESD Rating all pins	2000 V

*Stresses above those listed under "Absolute Maximum Ratings" may cause permanent damage to the device. This is a stress rating only; functional operation of the device at these or any other conditions above those indicated in the operational section of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

THERMAL CHARACTERISTICS

24-Pin Small Outline Package:
 θ_{JA} = 50°C/Watt, θ_{JC} = 10°C/Watt

ORDERING GUIDE

Model	Temperature Range	Package Description	Package Option
ADM1024ARU	-40°C to +125°C	24-Pin TSSOP Package	RU-24





Figure 1. Diagram for Serial Bus Timing

PIN CONFIGURATION



PINFUNCTION DESCRIPTION

PIN NO.	MNEMONIC	DESCRIPTION
1	NTEST_OUT/ADD	Digital I/O. Dual Function pin. This is a three-state input that controls the two LSBs of the Serial Bus Address. This pin functions as an output when doing a NAND Tree test.
2	THERM	Digital I/O. Dual Function pin. This pin functions as an interrupt output for temperature interrupts only, or as an interrupt input for fan control. It has an on-chip 100kΩ pullup resistor.
3	SDA	Digital I/O. Serial Bus bidirectional Data. Open-drain output.
4	SCL	Digital Input. Serial Bus Clock.

PIN FUNCTION DESCRIPTION (CONTINUED)

PIN NO.	MNEMONIC	DESCRIPTION
5	FAN1/AIN1	Programmable Analog/Digital Input. 0 to 2.5V analog input or digital (0 to V_{CC}) amplitude fan tachometer input.
6	FAN2/AIN2	Programmable Analog/Digital Input. 0 to 2.5V analog input or digital (0 to V_{CC}) amplitude fan tachometer input.
7	CI	Digital I/O. An active high input from an external latch which captures a Chassis Intrusion event. This line can go high without any clamping action regardless of the powered state of the ADM1024. The ADM1024 provides an internal open drain on this line, controlled by Bit 6 of Register 40H or Bit 7 of Register 46H, to provide a minimum 20ms pulse on this line, to reset the external Chassis Intrusion Latch.
8	GND	System Ground.
9	V_{CC}	POWER (+2.8V to +5.5V). Typically powered from +3.3V power rail. Bypass with the parallel combination of 10 μ F (electrolytic or tantalum) and 0.1 μ F (ceramic) bypass capacitors.
10	\overline{INT}	Digital Output. $\overline{Interrupt Request}$ (open drain). The output is enabled when Bit 1 of the Configuration Register is set to 1. The default state is disabled. It has an on-chip 100k Ω pullup resistor.
11	NTEST_IN/AOUT	Digital Input/Analog Output. An active-high input that enables NAND Tree mode board-level connectivity testing. Refer to section on NAND Tree testing. Also functions as a programmable analog output when NAND Tree is not selected
12	\overline{RESET}	Digital I/O. Master Reset, 5 mA driver (open drain), active low output with a 45 ms minimum pulse width. Set using Bit 4 in Reg40H. Also acts as reset input when pulled low (e.g. power-on reset). It has an on-chip 100k Ω pullup resistor.
13	D1-	Analog Input. Connected to cathode of 1st external temperature sensing diode.
14	D1+	Analog Input. Connected to anode of 1st external temperature sensing diode.
15	+12V _{IN}	Programmable Analog Input. Monitors +12 V supply
16	+5V _{IN}	Analog Input. Monitors +5 V supply.
17	$V_{CCP2}/D2-$	Programmable Analog Input. Monitors 2nd processor core voltage or cathode of 2nd external temperature sensing diode
18	+2.5V _{IN} /D2+	Programmable Analog Input. Monitors 2.5V supply or anode of 2nd external temperature sensing diode
19	+ V_{CCP1}	Analog Input. Monitors 1st processor core voltage (0 to 3.6V).
20	VID4/IRQ4	Digital Input. Core Voltage ID readouts from the processor. This value is read into the VID4 Status Register. Can also be re-configured as an interrupt input. It has an on-chip 100k Ω pullup resistor.
21	VID3/IRQ3	Digital Input. Core Voltage ID readouts from the processor. This value is read into the VID0-VID3 Status Register. Can also be re-configured as an interrupt input. It has an on-chip 100k Ω pullup resistor.
22	VID2/IRQ2	Digital Input. Core Voltage ID readouts from the processor. This value is read into the VID0-VID3 Status Register. Can also be re-configured as an interrupt input. It has an on-chip 100k Ω pullup resistor.
23	VID1/IRQ1	Digital Input. Core Voltage ID readouts from the processor. This value is read into the VID0-VID3 Status Register. Can also be re-configured as an interrupt input. It has an on-chip 100k Ω pullup resistor.
24	VID0/IRQ0	Digital Input. Core Voltage ID readouts from the processor. This value is read into the VID0-VID3 Status Register. Can also be re-configured as an interrupt input. It has an on-chip 100k Ω pullup resistor.

FUNCTIONAL DESCRIPTION

GENERAL DESCRIPTION

The ADM1024 is a complete system hardware monitor for microprocessor-based systems. The device communicates with the system via a serial System Management Bus. The serial bus controller has a hardwired address line for device selection (pin 1), a serial data line for reading and writing addresses and data (pin 3), and an input line for the serial clock (pin 4). All control and programming functions of the ADM1024 are performed over the serial bus.

MEASUREMENT INPUTS

Programmability of the measurement inputs makes the ADM1024 extremely flexible and versatile. The device has a 10 bit A to D converter, and 9 measurement input pins that can be configured in different ways.

Pins 5 and 6 can be programmed as general purpose analog inputs with a range of 0 to +2.5V, or as digital inputs to monitor the speed of fans with digital tachometer outputs. The fan inputs can be programmed to accommodate fans with different speeds and different numbers of pulses per revolution from their tacho outputs.

Pins 13 and 14 are dedicated temperature inputs and may be connected to the cathode and anode of an external temperature-sensing diode.

Pins 15, 16 and 19 are dedicated analog inputs with on-chip attenuators, configured to monitor +12V, +5V and the processor core voltage, respectively.

Pins 17 and 18 may be configured as analog inputs with on-chip attenuators to monitor a second processor core voltage and a +2.5V supply, or they may be configured as a temperature input and connected to a second temperature-sensing diode.

The ADC also accepts input from an on-chip bandgap temperature sensor that monitors system ambient temperature.

Finally, the ADM1024 monitors the supply from which it is powered, so there is no need for a separate +3.3V analog input, if the chip V_{CC} is +3.3V. The range of this V_{CC} measurement can be configured for either a +3.3V or +5V V_{CC} by bit 3 of the Channel Mode Register.

SEQUENTIAL MEASUREMENT

When the ADM1024 monitoring sequence is started, it cycles sequentially through the measurement of analog inputs and the temperature sensor, while at the same time the fan speed inputs are independently monitored. Measured values from these inputs are stored in Value Registers. These can be read out over the serial bus, or can be compared with programmed limits stored in the Limit Registers. The results of out of limit comparisons are stored in the Interrupt Status Registers, and will generate an interrupt on the \overline{INT} line (pin 10).

Any or all of the Interrupt Status Bits can be masked by appropriate programming of the Interrupt Mask Register.

PROCESSOR VOLTAGE ID

Five digital inputs (VID4 to VID0 - pins 20 to 24) read the processor Voltage ID code. These inputs can also be re-configured as interrupt inputs.

The VID pins have internal 100k Ω pullup resistors.

CHASSIS INTRUSION

A chassis intrusion input (pin 7) is provided to detect unauthorised tampering with the equipment.

RESET

A \overline{RESET} input/output (pin 12) is provided. Pulling this pin low will reset all ADM1024 internal registers to default values. The ADM1040 can also be programmed to give a low-going 45ms reset pulse at this pin.

The \overline{RESET} pin has an internal, 100k Ω pullup resistor.

ANALOG OUTPUT

The ADM1024 contains an on-chip, 8-bit digital-to-analog converter with an output range of zero to 2.5V (pin 11). This is typically used to implement a temperature-controlled fan by controlling the speed of a fan dependent upon the temperature measured by the on-chip temperature sensor.

Testing of board level connectivity is simplified by providing a NAND tree test function. The AOUT (pin 11) also doubles as a NAND test input, while pin 1 doubles as a NAND tree output.

INTERNAL REGISTERS OF THE ADM1024

A brief description of the ADM1024's principal internal registers is given below. More detailed information on the function of each register is given in Tables 9 to 22, starting on page 23.

Configuration Registers: Provide control and configuration.

Channel Mode Register: Stores the data for the operating modes of the input channels.

Address Pointer Register: This register contains the address that selects one of the other internal registers. When writing to the ADM1024, the first byte of data is always a register address, which is written to the Address Pointer Register.

Interrupt (INT) Status Registers: Two registers to provide status of each Interrupt event. These registers are also mirrored at addresses 4Ch and 4Dh.

Interrupt (INT) Mask Registers: Allow masking of individual Interrupt sources.

Temperature Configuration Register: The configuration of the temperature interrupt is controlled by the lower 3 bits of this register.

VID/Fan Divisor Register: The status of the VID0 to VID4 pins of the processor can be written to and read from these registers. Divisor values for fan-speed measurement are also stored in this register.

Value and Limit Registers: The results of analog voltage inputs, temperature and fan speed measurements are stored in these registers, along with their limit values.

Analog Output Register: The code controlling the analog output DAC is stored in this register.

Chassis Intrusion Clear Register: A signal latched on the Chassis Intrusion pin can be cleared by writing to this register.

SERIAL BUS INTERFACE

Control of the ADM1024 is carried out via the serial bus. The ADM1024 is connected to this bus as a slave device, under the control of a master device, e.g. the PIIX4.

The ADM1024 has a 7-bit serial bus address. When the device is powered up, it will do so with a default serial bus address. The five MSB's of the address are set to 01011, the two LSB's are determined by the logical states of pin 1 (NTESTOUT/ADD). This is a three-state input that can be grounded, connected to V_{CC} or left open-circuit to give three different addresses:

ADD Pin	A1	A0
GND	1	0
No Connect	0	0
V_{CC}	0	1

If ADD is left open-circuit the default address will be 0101100.

The facility to make hardwired changes to A1 and A0 allows the user to avoid conflicts with other devices sharing the same serial bus, for example if more than one ADM1024 is used in

a system.

The serial bus protocol operates as follows:

1. The master initiates data transfer by establishing a START condition, defined as a high to low transition on the serial data line SDA whilst the serial clock line SCL remains high. This indicates that an address/data stream will follow. All slave peripherals connected to the serial bus respond to the START condition, and shift in the next 8 bits, consisting of a 7-bit address (MSB first) plus a R/W bit, which determines the direction of the data transfer, i.e. whether data will be written to or read from the slave device.

The peripheral whose address corresponds to the transmitted address responds by pulling the data line low during the low period before the ninth clock pulse, known as the Acknowledge Bit. All other devices on the bus now remain idle whilst the selected device waits for data to be read from or written to it. If the R/W bit is a 0 then the master will write to the slave device. If the R/W bit is a 1 the master will read from the slave device.




Figure 2a. Writing a Register Address to the Address Pointer Register, then Writing Data to the Selected Register




Figure 2b. Writing to the Address Pointer Register only




Figure 2c. Reading Data from a Previously Selected Register

- Data is sent over the serial bus in sequences of 9 clock pulses, 8 bits of data followed by an Acknowledge Bit from the slave device. Transitions on the data line must occur during the low period of the clock signal and remain stable during the high period, as a low to high transition when the clock is high may be interpreted as a STOP signal. The number of data bytes that can be transmitted over the serial bus in a single READ or WRITE operation is limited only by what the master and slave devices can handle.
- When all data bytes have been read or written, stop conditions are established. In WRITE mode, the master will pull the data line high during the 10th clock pulse to assert a STOP condition. In READ mode, the master device will override the acknowledge bit by pulling the data line high during the low period before the 9th clock pulse. This is known as No Acknowledge. The master will then take the data line low during the low period before the 10th clock pulse, then high during the 10th clock pulse to assert a STOP condition.

Any number of bytes of data may be transferred over the serial bus in one operation, but it is not possible to mix read and write in one operation, because the type of operation is determined at the beginning and cannot subsequently be changed without starting a new operation.

In the case of the ADM1024, write operations contain either one or two bytes, and read operations contain one byte, and perform the following functions:

To write data to one of the device data registers or read data from it, the Address Pointer Register must be set so that the correct data register is addressed, then data can be written into that register or read from it. The first byte of a write operation always contains an address that is stored in the Address Pointer Register. If data is to be written to the device, then the write operation contains a second data byte that is written to the register selected by the address pointer register.

This is illustrated in figure 2a. The device address is sent over the bus followed by R/\overline{W} set to 0. This is followed by two data bytes. The first data byte is the address of the internal data register to be written to, which is stored in the Address Pointer Register. The second data byte is the data to be written to the internal data register.

When reading data from a register there are two possibilities:

- If the ADM1024's Address Pointer Register value is unknown or not the desired value, it is first necessary to set it to the correct value before data can be read from the desired data register. This is done by performing a write to the ADM1024 as before, but only the data byte containing the register address is sent, as data is not to be written to the register. This is shown in figure 2b.

A read operation is then performed consisting of the serial bus address, R/\overline{W} bit set to 1, followed by the data byte read from the data register. This is shown in figure 2c.

- If the Address Pointer Register is known to be already at the desired address, data can be read from the corresponding data register without first writing to the Address Pointer Register, so figure 2b can be omitted.

Notes:

- Although it is possible to read a data byte from a data reg-

ister without first writing to the Address Pointer Register, if the Address Pointer Register is already at the correct value, it is not possible to write data to a register without writing to the Address Pointer Register, because the first data byte of a write is always written to the Address Pointer Register.

- In figures 2a to 2c, the serial bus address is shown as the default value 01011(A1)(A0), where A1 and A0 are set by the three-state ADD pin.

MEASUREMENT INPUTS

The ADM1024 has nine external measurement pins, which can be configured to perform various functions by programming the Channel Mode Register.

Pins 13 and 14 are dedicated to temperature measurement, while pins 15, 16 and 19 are dedicated analog input channels. Their function is unaffected by the Channel Mode Register.

Pins 5 and 6 can be individually programmed as analog inputs, or as digital fan speed measurement inputs, by programming bits 0 and 1 of the Channel Mode Register.

Pins 17 and 18 can be configured as analog inputs or as inputs for an external temperature sensing diodes by programming bit 2 of the Channel Mode Register.

Bit 3 of the Channel Mode Register configures the internal V_{CC} measurement range for either 3.3V or 5V.

Bits 4 to 6 of the Channel Mode Register enable or disable pins 22 to 24, when they are configured as interrupt inputs by setting bit 7 of the Channel Mode Register. This function is controlled for pins 20 and 21 by bits 6 and 7 of Configuration register 2.

Bit 7 of the Channel Mode Register allows the processor core voltage ID bits (VID0 to VID4, pins 24 to 20) to be re-configured as interrupt inputs.

A truth Table for the Channel Mode Register is given in Table 1.

TABLE 1. CHANNEL MODE REGISTER

Channel Mode Register Bit	Controls Pin(s)	Function
0	5	0 = FAN1, 1 = AIN1
1	6	0 = FAN2, 1 = AIN2
2	18, 19 1 = D2-, D2+	0 = 2.5V, V_{CCP2}
3	Int. V_{CC} Meas.	0 = 3.3V, 1 = 5V
4	24	0 = VID0, 1 = IRQ0
5	23	0 = VID1, 1 = IRQ1
6	22	0 = VID2, 1 = IRQ2
7	20 - 24	0 = VID0 to VID4 1 = interrupt inputs

Power-on Default = 0000 0000

A TO D CONVERTER

These inputs are multiplexed into the on-chip, successive approximation, analog-to-digital converter. This has a resolution of 8 bits. The basic input range is zero to +2.5V, which is the input range of AIN1 and AIN2, but five of the inputs have built-in attenuators to allow measurement of 2.5V, 5V, 12V and the processor core voltages V_{CCP1} and V_{CCP2} , without any external components. To allow for the tolerance of these supply voltages, the A to D converter produces an output of 3/4 full-scale (decimal 192) for the nominal input voltage, and so has adequate headroom to cope with overvoltages. Table 3 shows the input ranges of the analog inputs and output codes of the A to D converter.

When the ADC is running, it samples and converts an input every 748 μ s, except for the external temperature(D1 and D2) inputs. These have special input signal conditioning and are averaged over 16 conversions to reduce noise, and a measurement on one of these inputs takes nominally 9.6ms.

INPUT CIRCUITS

The internal structure for the analog inputs are shown in figure 3. Each input circuit consists of an input protection diode, an attenuator, plus a capacitor to form a first-order lowpass filter which gives the input immunity to high frequency noise.




Figure 3. Structure of Analog Inputs

SETTING OTHER INPUT RANGES

AIN1 and AIN2 can easily be scaled to voltages other than 2.5V. If the input voltage range is zero to some positive voltage, then all that is required is an input attenuator, as shown in figure 4.

age, then all that is required is an input attenuator, as shown in figure 4.




Figure 4. Scaling AIN(1-2)

$$R1/R2 = (V_{FS}-2.5)/2.5$$

Negative and bipolar input ranges can be accommodated by using a positive reference voltage to offset the input voltage range so that it is always positive.

To measure a negative input voltage, an attenuator can be used as shown in figure 5.




Figure 5. Scaling and Offsetting AIN(1-2) for Negative Inputs

$$R1/R2 = |V_{FS-}|/V_{OS}$$

This is a simple and cheap solution, but the following point should be noted.

Since the input signal is offset but not inverted, the input range is transposed. An increase in the magnitude of the -12V supply (going more negative), will cause the input voltage to fall and give a lower output code from the ADC. Conversely, a decrease in the magnitude of the -12V supply will cause the ADC code to increase. The maximum negative voltage corresponds to zero output from the ADC. This means that the upper and lower limits will be transposed.

Bipolar input ranges can easily be accommodated. By making R1 equal to R2 and $V_{OS} = +2.5V$, the input range is $\pm 2.5V$. Other input ranges can be accommodated by adding a third resistor to set the positive full-scale input voltage.

TABLE 3. A/D OUTPUT CODE VS. V_{IN}

Input Voltage							A/D Output	
$+12V_{IN}$	$+5V_{IN}$	$V_{CC}(3.3V)$	$V_{CC}(5V)$	$+2.5V_{IN}$	$+V_{CCP1/2}$	$A_{IN}(1/2)$	Decimal	Binary
<0.062	<0.026	<0.0172	<0.026	<0.013	<0.014	<0.010	0	00000000
0.062 - 0.125	0.026 - 0.052	0.017 - 0.034	0.026 - 0.052	0.013 - 0.026	0.014 - 0.028	0.010 - 0.019	1	00000001
0.125 - 0.187	0.052 - 0.078	0.034 - 0.052	0.052 - 0.078	0.026 - 0.039	0.028 - 0.042	0.019 - 0.029	2	00000010
0.188 - 0.250	0.078 - 0.104	0.052 - 0.069	0.078 - 0.104	0.039 - 0.052	0.042 - 0.056	0.029 - 0.039	3	00000011
0.250 - 0.313	0.104 - 0.130	0.069 - 0.086	0.104 - 0.130	0.052 - 0.065	0.056 - 0.070	0.039 - 0.049	4	00000100
0.313 - 0.375	0.130 - 0.156	0.086 - 0.103	0.130 - 0.156	0.065 - 0.078	0.070 - 0.084	0.049 - 0.058	5	00000101
0.375 - 0.438	0.156 - 0.182	0.103 - 0.120	0.156 - 0.182	0.078 - 0.091	0.084 - 0.098	0.058 - 0.068	6	00000110
0.438 - 0.500	0.182 - 0.208	0.120 - 0.138	0.182 - 0.208	0.091 - 0.104	0.098 - 0.112	0.068 - 0.078	7	00000111
0.500 - 0.563	0.208 - 0.234	0.138 - 0.155	0.208 - 0.234	0.104 - 0.117	0.112 - 0.126	0.078 - 0.087	8	00001000
4.000 - 4.063	1.666 - 1.692	1.100 - 1.117	1.666 - 1.692	0.833 - 0.846	0.900 - 0.914	0.625 - 0.635	64 (1/4-scale)	01000000
8.000 - 8.063	3.330 - 3.560	2.200 - 2.217	3.330 - 3.560	1.667 - 1.680	1.800 - 1.814	1.250 - 1.260	128 (1/2-scale)	10000000
12.000 - 12.063	5.000 - 5.026	3.300 - 3.317	5.000 - 5.026	2.500 - 2.513	2.700 - 2.714	1.875 - 1.885	192 (3/4 scale)	11000000
15.312 - 15.375	6.380 - 6.406	4.210 - 4.230	6.380 - 6.406	3.190 - 3.203	3.445 - 3.459	2.392 - 2.402	245	11110101
15.375 - 15.437	6.406 - 6.432	4.230 - 4.245	6.406 - 6.432	3.203 - 3.216	3.459 - 3.473	2.402 - 2.412	246	11110110
15.437 - 15.500	6.432 - 6.458	4.245 - 4.263	6.432 - 6.458	3.216 - 3.229	3.473 - 3.487	2.412 - 2.422	247	11110111
15.500 - 15.563	6.458 - 6.484	4.263 - 4.280	6.458 - 6.484	3.229 - 3.242	3.487 - 3.501	2.422 - 2.431	248	11111000
15.562 - 15.625	6.484 - 6.510	4.280 - 4.300	6.484 - 6.510	3.242 - 3.255	3.501 - 3.515	2.431 - 2.441	249	11111001
15.625 - 15.688	6.510 - 6.536	4.300 - 4.314	6.510 - 6.536	3.255 - 3.268	3.515 - 3.529	2.441 - 2.451	250	11111010
15.688 - 15.750	6.536 - 6.562	4.314 - 4.33	6.536 - 6.562	3.268 - 3.281	3.529 - 3.543	2.451 - 2.460	251	11111011
15.750 - 15.812	6.562 - 6.588	4.331 - 4.348	6.562 - 6.588	3.281 - 3.294	3.543 - 3.558	2.460 - 2.470	252	11111100
15.812 - 15.875	6.588 - 6.615	4.348 - 4.366	6.588 - 6.615	3.294 - 3.307	3.558 - 3.572	2.470 - 2.480	253	11111101
15.875 - 15.938	6.615 - 6.640	4.366 - 4.383	6.615 - 6.640	3.307 - 3.320	3.572 - 3.586	2.480 - 2.490	254	11111110
>15.938	>6.640	>4.383	>6.640	>3.320	>3.586	>2.490	255	11111111




Figure 6. Scaling and Offsetting AIN(1-2 for Bipolar Inputs

$$R1/R2 = |V_{FS-}|/R2$$

(R3 has no effect as the input voltage at the device pin is zero when $V_{IN} =$ minus full-scale)

$$R1/R3 = (V_{FS+}-2.5)/2.5$$

(R2 has no effect as the input voltage at the device pin is 2.5V when $V_{IN} =$ plus full-scale).

Offset voltages other than +2.5V can be used, but the calculation becomes more complicated.

TEMPERATURE MEASUREMENT SYSTEM

INTERNAL TEMPERATURE MEASUREMENT

The ADM1024 contains an on-chip bandgap temperature sensor, whose output is digitised by the on-chip ADC. The temperature data is stored in the Temperature Value Register (address 27h) and the LSB from bits 6 and 7 of the Temperature Configuration Register (address 4Bh). As both positive and negative temperatures can be measured, the temperature data is stored in two's complement format, as shown in Table 4, opposite. Theoretically, the temperature sensor and ADC can measure temperatures from -128°C to +127°C with a resolution of 1°C, although temperatures below -40°C and above +125°C are outside the operating temperature range of the device.

EXTERNAL TEMPERATURE MEASUREMENT

The ADM1024 can measure the temperature of two external diode sensors or diode-connected transistors, connected to pins 13 and 14 or 17 and 18.

Pins 13 and 14 are a dedicated temperature input channel.

Pins 17 and 18 can be configured to measure a diode sensor by setting bit 2 of the Channel Mode Register to 1.

The forward voltage of a diode or diode-connected transistor, operated at a constant current, exhibits a negative temperature coefficient of about -2mV/°C. Unfortunately, the absolute value of V_{be} , varies from device to device, and individual calibration is required to null this out, so the technique is unsuitable for mass-production.

The technique used in the ADM1024 is to measure the change in V_{be} when the device is operated at two different currents.

This is given by:

$$\Delta V_{be} = KT/q \times \ln(N)$$

where:

K is Boltzmann's constant

q is charge on the carrier

T is absolute temperature in Kelvins

N is ratio of the two currents

Figure 7 shows the input signal conditioning used to measure the output of an external temperature sensor. This figure shows the external sensor as a substrate transistor, provided for temperature monitoring on some microprocessors, but it could equally well be a discrete transistor.

If a discrete transistor is used, the collector will not be grounded, and should be linked to the base. If a PNP transistor is used the base is connected to the D- input and the emitter to the D+ input. If an NPN transistor is used, the emitter is connected to the D- input and the base to the D+ input.

TABLE 4. TEMPERATURE DATA FORMAT

Temperature	Digital Output
-128 °C	1000 0000
-125 °C	1000 0011
-100 °C	1001 1100
-75 °C	1011 0101
-50 °C	1100 1110
-25 °C	1110 0111
0 °C	0000 0000
+0.5 °C	0000 0000
+10 °C	0000 1010
+25 °C	0001 1001
+50 °C	0011 0010
+75 °C	0100 1011
+100 °C	0110 0100
+125 °C	0111 1101
+127 °C	0111 1111

To prevent ground noise interfering with the measurement, the more negative terminal of the sensor is not referenced to ground, but is biased above ground by an internal diode at the D- input. As the sensor is operating in a noisy environment, C1 is provided as a noise filter. See the section on layout considerations for more information on C1.

To measure ΔV_{be} , the sensor is switched between operating currents of I and N x I. The resulting waveform is passed through a 65kHz lowpass filter to remove noise, thence to a chopper-stabilized amplifier that performs the functions of amplification and rectification of the waveform to produce a DC voltage proportional to ΔV_{be} . This voltage is measured by

the ADC to give a temperature output in 8-bit two's complement format. To further reduce the effects of noise, digital filtering is performed by averaging the results of 16 measurement cycles. An external temperature measurement takes nominally 9.6ms.

The results of external temperature measurements are stored in 8 bit, twos-complement format, as illustrated in Table 4.

LAYOUT CONSIDERATIONS

Digital boards can be electrically noisy environments, and care must be taken to protect the analog inputs from noise, particularly when measuring the very small voltages from a remote diode sensor. The following precautions should be taken:

1. Place the ADM1024 as close as possible to the remote sensing diode. Provided that the worst noise sources such as clock generators, data/address buses and CRTs are avoided, this distance can be 4 to 8 inches.
2. Route the D+ and D- tracks close together, in parallel, with grounded guard tracks on each side. Provide a ground plane under the tracks if possible.
3. Use wide tracks to minimize inductance and reduce noise pickup. 10 mil track minimum width and spacing is recommended.



Figure 9. Arrangement of Signal Tracks

4. Try to minimize the number of copper/solder joints, which can cause thermocouple effects. Where copper/solder joints are used, make sure that they are in both the D+ and D-




Figure 7. Signal Conditioning for External Diode temperature Sensors

path and at the same temperature.

Thermocouple effects should not be a major problem as 1°C corresponds to about 240μV, and thermocouple voltages are about 3μV/°C of temperature difference. Unless there are two thermocouples with a big temperature differential between them, thermocouple voltages should be much less than 200mV.

5. Place 0.1μF bypass and 2200pF input filter capacitors close to the ADM1024.
6. If the distance to the remote sensor is more than 8 inches, the use of twisted pair cable is recommended. This will work up to about 6 to 12 feet.
7. For really long distances (up to 100 feet) use shielded twisted pair such as Belden #8451 microphone cable. Connect the twisted pair to D+ and D- and the shield to GND close to the ADM1024. Leave the remote end of the shield unconnected to avoid ground loops.

Because the measurement technique uses switched current sources, excessive cable and/or filter capacitance can affect the measurement. When using long cables, the filter capacitor may be reduced or removed.

Cable resistance can also introduce errors. 1Ω series resistance introduces about 0.5°C error.

LIMIT VALUES

Limit values for analog measurements are stored in the appropriate limit registers. In the case of voltage measurements, high and low limits can be stored so that an interrupt request will be generated if the measured value goes above or below acceptable values. In the case of temperature, a Hot Temperature or High Limit can be programmed, and a Hot Temperature Hysteresis or Low Limit, which will usually be some degrees lower. This can be useful as it allows the system to be shut down when the hot limit is exceeded, and re-started automatically when it has cooled down to a safe temperature.

MONITORING CYCLE TIME

The monitoring cycle begins when a one is written to the Start Bit (bit 0), and a zero to the $\overline{\text{INT_Clear}}$ Bit (bit 3) of the Configuration Register. $\overline{\text{INT_Enable}}$ (Bit 1) should be set to one to enable the INT output. The ADC measures each analog input in turn, as each measurement is completed the result is automatically stored in the appropriate value register. This "round-robin" monitoring cycle continues until it is disabled by writing a 0 to bit 0 of the Configuration Register.

As the ADC will normally be left to free-run in this manner, the time taken to monitor all the analog inputs will normally not be of interest, as the most recently measured value of any input can be read out at any time.

For applications where the monitoring cycle time is important, it can be calculated as follows:

$$m \times t_1 + n \times t_2$$

where:

m is the number of inputs configured as analog inputs, plus the internal V_{CC} measurement and internal temperature sensor.

t_1 is the time taken for an analog input conversion, nominally 748 μ s

n is the number of inputs configured as external temperature inputs

t_2 is the time taken for a temperature conversion, nominally 9.6ms.

This rapid sampling of the analog inputs ensures a quick response in the event of any input going out of limits, unlike other monitoring chips that employ slower ADCs.

FAN MONITORING CYCLE TIME

When a monitoring cycle is started, monitoring of the fan speed inputs begins at the same time as monitoring of the analog inputs. However, the two monitoring cycles are not synchronised in any way. The monitoring cycle time for the fan inputs is dependent on fan speed and is much slower than for the analog inputs. For more details see the section on "FAN SPEED MEASUREMENT".

INPUT SAFETY

Scaling of the analog inputs is performed on chip, so external attenuators are normally not required. However, since the power supply voltages will appear directly at the pins, it is advisable to add small external resistors in series with the supply traces to the chip to prevent damaging the traces or power supplies should an accidental short such as a probe connect two power supplies together.

As the resistors will form part of the input attenuators, they will affect the accuracy of the analog measurement if their value is too high. The analog input channels are calibrated assuming an external series resistor of 500 Ω , and the accuracy will remain within specification for any value from zero to 1k Ω , so a standard 510 Ω resistor is suitable.

The worst such accident would be connecting -12V to +12V - a total of 24V difference, with the series resistors this would draw a maximum current of approx. 24mA.

ANALOG OUTPUT

The ADM1024 has a single analog output from a unsigned 8 bit DAC which produces 0 - 2.5V. The analog output register defaults to FF during power-on reset, which produces maximum fan speed. The analog output may be amplified and buffered with external circuitry such as an op-amp and transistor to provide fan speed control.

Suitable fan drive circuits are given in figures 10a to 10f. When using any of these circuits, the following points should be noted:

1. All of these circuits will provide an output range from zero to almost +12V, apart from figure 10a which loses the base-emitter voltage drop of Q1 due to the emitter-follower configuration.
2. To amplify the 2.5V range of the analog output up to 12V, the gain of these circuits needs to be around 4.8.
3. Care must be taken when choosing the op-amp to ensure that its input common-mode range and output voltage swing are suitable.
4. The op-amp may be powered from the +12V rail alone or from \pm 12V. If it is powered from +12V then the input common-mode range should include ground to accommodate the minimum output voltage of the DAC, and the output voltage should swing below 0.6V to ensure that the transistor can be turned fully off.
5. If the op-amp is powered from -12V then precautions such as a clamp diode to ground may be needed to prevent the base-emitter junction of the output transistor being reverse-biased in the unlikely event that the output of the op-amp should swing negative for any reason.
6. In all these circuits, the output transistor must have an $I_{C_{MAX}}$ greater than the maximum fan current, and be capable of dissipating power due to the voltage dropped across it when the fan is not operating at full-speed.
7. If the fan motor produces a large back e.m.f when switched off, it may be necessary to add clamp diodes to protect the output transistors in the event that the output goes from full-scale to zero very quickly.

FAULT TOLERANT FAN CONTROL

The ADM1024 incorporates a fault tolerant fan control capability that can override the setting of the analog output and force it to maximum to give full fan speed in the event of a critical overtemperature problem, even if, for some reason, this has not been handled by the system software.

There are four temperature set points that will force the analog output to FFh if any one of them is exceeded for three or more consecutive measurements. Two of these limits are programmable by the user and two are hardware limits intended as "must not exceed" limits that cannot be changed.

The analog output will be forced to FFh if:

the temperature measured by the on-chip sensor exceeds the limit programmed into register address 13h.

or

the temperature measured by either of the remote sensors exceeds the limit programmed into address 14h.

or




Figure 10a. Fan Drive Circuit with Op-Amp and Emitter-Follower




Figure 10d. Discrete Fan Drive Circuit with P-Channel MOSFET, Single Supply




Figure 10b. Fan Drive Circuit with Op-Amp and PNP Transistor




Figure 10e. Discrete Fan Drive Circuit with P-Channel MOSFET, Dual Supply




Figure 10c. Fan Driver Circuit with Op-Amp and P-Channel MOSFET




Figure 10f. Discrete Fan Drive Circuit with Bipolar Output Dual Supply

the temperature measured by the on-chip sensor exceeds 70°C, which is hardware programmed into a read-only register at address 17h.

or

the temperature measured by either of the remote sensors exceeds 85°C, which is hardware programmed into a read-only register at address 18h.

Once the hardware override of the analog output is triggered, it will only return to normal operation after three consecutive measurements that are 5 degrees lower than each of the above limits.

The analog output can also be forced to FFh by pulling the THERM pin (pin 2) low.

The limits in registers 13h and 14h can be programmed by the user. Obviously these limits should not exceed the hardware values in registers 17h and 18h, as they would have no effect. The power-on default values of these registers are the same as the two hardware registers, 70°C and 85°C respectively, so there is no need to program them if these limits are acceptable.

Once these registers have been programmed, or if the defaults are acceptable, the values in these registers can be locked by writing a 1 to bits 1 and 2 of Configuration Register 2 (address 4Ah). This prevents any unauthorised tampering with the limits. These lock bits can only be written to 1 and can only be cleared by power-on reset or by taking the $\overline{\text{RESET}}$ pin low, so registers 13h and 14h cannot be written to again unless the device is powered off, then on.

LAYOUT AND GROUNDING

Analog inputs will provide best accuracy when referred to a clean ground. A separate, low-impedance ground plane for analog ground, which provides a ground point for the voltage dividers and analog components, will provide best performance but is not mandatory.

The power supply bypass, the parallel combination of 10µF (electrolytic or tantalum) and 0.1µF (ceramic) bypass capacitors connected between pin 9 and ground, should also be located as close as possible to the ADM1024.

FAN INPUTS

Pins 5 and 6 may be configured as analog inputs or fan speed inputs by programming bits 0 and 1 of the Channel Mode Register. The power-on default for these bits is all zeroes, which makes pins 5 and 6 fan inputs.

Signal conditioning in the ADM1024 accommodates the slow rise and fall times typical of fan tachometer outputs. The maximum input signal range is 0 to V_{CC}. In the event that these inputs are supplied from fan outputs which exceed 0 to 6.5V, either resistive attenuation of the fan signal or diode clamping must be included to keep inputs within an acceptable range.

Figures 11a to 11c show circuits for most common fan tach outputs.

If the fan tach output has a resistive pullup to V_{CC} then it can be connected directly to the fan input, as shown in figure 11a.




Figure 11a. Fan With Tach Pullup To +V_{CC}.

If the fan output has a resistive pullup to +12V (or other voltage greater than 6.5V) then the fan output can be clamped with a zener diode, as shown in figure 11b. The zener voltage should be chosen so that it is greater than V_{IH} but less than 6.5V, allowing for the voltage tolerance of the zener. A value of between 3V and 5V is suitable.




Figure 11b. Fan with Tach. Pullup to Voltage >6.5V e.g. 12V) Clamped with Zener Diode

If the fan has a strong pullup (less than 1kΩ) to +12V, or a totem-pole output, then a series resistor can be added to limit the zener current, as shown in figure 11c. Alternatively, a resistive attenuator may be used, as shown in figure 11d.

R1 and R2 should be chosen such that:

$$2V < V_{\text{PULLUP}} \times R2 / (R_{\text{PULLUP}} + R1 + R2) < 5V$$

The fan inputs have an input resistance of nominally 160kΩ to ground, so this should be taken into account when calculating resistor values.

With a pullup voltage of 12V and pullup resistor less than 1kΩ, suitable values for R1 and R2 would be 100kΩ and 47kΩ. This will give a high input voltage of 3.83V.




Figure 11c. Fan with Strong Tach. Pullup to >V_{CC} or Totem-Pole Output, Clamped with Zener and Resistor




Figure 11d. Fan with Strong Tach. Pullup to $>V_{CC}$ or Totem-Pole Output, Attenuated with $R1/R2$

FAN SPEED MEASUREMENT

The fan counter does not count the fan tachometer output pulses directly, because the fan speed may be less than 1000 RPM and it would take several seconds to accumulate a reasonably large and accurate count. Instead, the period of the fan revolution is measured by gating an on-chip 22.5kHz oscillator into the input of an 8-bit counter for two periods of the fan tachometer output, as shown in figure 12, so the accumulated count is actually proportional to the fan tachometer period and inversely proportional to the fan speed.

The monitoring cycle begins when a one is written to the Start Bit (bit 0), and a zero to the $\overline{INT_Clear}$ Bit (bit 3) of the Configuration Register. $\overline{INT_Enable}$ (Bit 1) should be set to one to enable the \overline{INT} output. The measurement begins on the rising edge of a fan tachometer pulse, and ends on the next-but-one rising edge. The fans are monitored sequentially, so if only one fan is monitored the monitoring time is the time taken after the Start Bit for it to produce two complete tachometer cycles or for the counter to reach full-scale, whichever occurs sooner. If more than one fan is monitored, the monitoring time depends on the speed of the fans and the timing relationship of their tachometer pulses. This is illustrated in figure 12. Once the fan speeds have been measured, they will be stored in the Fan Speed Value Registers and the most recent value can be read at any time. The measurements will be updated as long as the monitoring cycle continues.




Figure 12. Fan Speed Measurement

To accommodate fans of different speed and/or different numbers of output pulses per revolution, a pre-scaler (divisor) of 1, 2, 4 or 8 may be added before the counter. The default value is 2, which gives a count of 153 for a fan running at 4400 RPM producing two output pulses per revolution.

The count is calculated by the equation:

$$\text{Count} = (22.5 \times 10^3 \times 60) / (\text{RPM} \times \text{Divisor})$$

For constant speed fans, fan failure is normally considered to have occurred when the speed drops below 70% of nominal, which would correspond to a count of 219. Full-scale (255) would be reached if the fan speed fell to 60% of its nominal value. For temperature-controlled variable speed fans the situation will be different.

Table 7 shows the relationship between fan speed and time per revolution at 60%, 70% and 100% of nominal RPM for fan speeds of 1100, 2200, 4400 and 8800 RPM, and the divisor that would be used for each of these fans, based on two tachometer pulses per revolution.

TABLE 7. FAN SPEEDS AND DIVISORS

Divisor RPM (ms)	Nominal rev	Time per RPM (ms)	70% rev (70%)	Time per RPM (ms)	60% rev (60%)	Time per rev (60%)
÷ 1	8800	6.82	6160	9.74	5280	11.36
÷ 2	4400	13.64	3080	19.48	2640	22.73
÷ 4	2200	27.27	1540	38.96	1320	45.45
÷ 8	1100	54.54	770	77.92	660	90.9

FAN1 and FAN2 Divisors are programmed into bits 4 to 7 of the VID 0 - 3/Fan Divisor Register.

LIMIT VALUES

Fans in general will not overspeed if run from the correct voltage, so the failure condition of interest is underspeed due to electrical or mechanical failure. For this reason only low-speed limits are programmed into the limit registers for the fans. It should be noted that, since fan period rather than speed is being measured, a fan failure interrupt will occur when the measurement exceeds the limit value.

MONITORING CYCLE TIME

The monitoring cycle time depends on the fan speed and number of tachometer output pulses per revolution. Two complete periods of the fan tachometer output (three rising edges) are required for each fan measurement. Therefore, if the start of a fan measurement just misses a rising edge, the measurement can take almost three tachometer periods. In order to read a valid result from the fan value registers, the total monitoring time allowed after starting the monitoring cycle should therefore be three tachometer periods of FAN1 plus three tachometer periods of FAN2 at the lowest normal fan speed.

Although the fan monitoring cycle and the analog input monitoring cycle are started together, they are not synchronised in any other way.

FAN MANUFACTURERS

Manufacturers of cooling fans with tachometer outputs are listed below:

NMB Tech

9730 Independence Ave.

Chatsworth, California 91311

818-341-3355

818-341-8207

Model	Frame Size	Airflow CFM
2408NL	2.36 in sq. X 0.79 in (60mm sq. X 20mm)	9-16
2410ML	2.36 in sq. X 0.98 in (60mm sq. X 25mm)	14-25
3108NL	3.15 in sq. X 0.79 in (80mm sq. X 20mm)	25-42
3110KL	3.15 in sq. X 0.98 in (80mm sq. X 25mm)	25-40

Mechatronix Inc.

P.O. Box 20

Mercer Island, WA 98040

800-453-4569

Models - Various sizes available with tach output option.

Sanyo Denki/Keymarc Electronics

2310 205th, Suite 101

Torrance, CA 90501

310-212-7724

Models - 109P Series

CHASSIS INTRUSION INPUT

The Chassis Intrusion input is an active high input/open-drain output intended for detection and signalling of unauthorised tampering with the system. An external circuit powered from the system's CMOS backup battery is used to detect and latch a chassis intrusion event, whether the system is powered up or not. Once a chassis intrusion has been detected and latched, the CI input will generate an interrupt when the system is powered up.

The actual detection of chassis intrusion is performed by an external circuit that will detect (for example), when the cover has been removed. A wide variety of techniques may be used for the detection, for example:

- Microswitch that opens or closes when the cover is removed.
- Reed switch operated by magnet fixed to the cover
- Hall-effect switch operated by magnet fixed to the cover.
- Phototransistor that detects light when cover is removed.

The chassis intrusion interrupt will remain asserted until the external detection circuit is reset. This can be achieved by setting bit 7 of the Chassis Intrusion Clear Register to one, which will cause the CI pin to be pulled low for at least 20ms. This register bit is self-clearing

The chassis intrusion circuit should be designed so that it can be reset by pulling its output low. A suitable chassis intrusion circuit using a phototransistor is shown in figure 8. Light falling on the phototransistor when the PC cover is removed will cause it to turn on and pull up the input of N1, thus setting the latch N3/N4. After the cover is replaced, a low reset on the CI output will pull down the input of N4, resetting the latch.




Figure 13a. Chassis Intrusion Detector and Latch

The Chassis Intrusion input can also be used for other types of alarm input. Figure 13b shows a temperature alarm circuit using an AD22105 temperature switch sensor. This produces a low-going output when the preset temperature is exceeded, so the output is inverted by Q1 to make it compatible with the CI input. Q1 can be almost any small-signal NPN transistor, or a TTL or CMOS inverter gate may be used if one is available. See the AD22105 data sheet for information on selecting R_{SET} .




Figure 13b. Using the CI Input with a Temperature Sensor

Note: The chassis intrusion input does not have a protective clamp diode to V_{CC} , as this could pull down the chassis intrusion latch and reset it when the ADM1024 was powered down.

THE ADM1024 INTERRUPT STRUCTURE

The Interrupt Structure of the ADM1024 is shown in Figure 14. As each measurement value is obtained and stored in the appropriate value register, the value and the limits from the corresponding limit registers are fed to the high and low limit comparators. The result of each comparison (1 = out of limit, 0 = in limit) is routed to the corresponding comparison bit input of the Interrupt Status Registers via a data demultiplexer, and used to set that bit high or low as appropriate.

The Interrupt Mask Registers have bits corresponding to each

of the Interrupt Status Register Bits. Setting an Interrupt Mask Bit high forces the corresponding Status Bit output low, whilst setting an Interrupt Mask Bit low allows the corresponding Status Bit to be asserted. After masking, the status bits are all OR'd together to produce the $\overline{\text{INT}}$ output, which will pull low if any unmasked status bit goes high, i.e. when any measured value goes out of limit. The ADM1024 also has a dedicated output for temperature interrupts only, the $\overline{\text{THERM}}$ input/output pin 2. The function of this is described later.

The $\overline{\text{INT}}$ output is enabled when Bit 1 of Configuration Register 1 ($\overline{\text{INT_Enable}}$) is high, and Bit 3 ($\overline{\text{INT_Clear}}$) is low.

The $\overline{\text{INT}}$ pin has an internal, 100k Ω pullup resistor.

VID/IRQ INPUTS

The processor voltage ID inputs VID0 to VID4 can be reconfigured as interrupt inputs by setting bit 7 of the Channel Mode Register (address 16h). In this mode they operate as level-triggered interrupt inputs, with VID0/IRQ0 to VID2/IRQ2 being active low and VID3/IRQ3 and VID4/IRQ4 being active high. The individual interrupt inputs can be enabled or masked by setting or clearing bits 4 to 6 of the Channel Mode Register and bits 6 and 7 of Configuration Register 2 (address 4Ah). These interrupt inputs are not latched in the ADM1024, so they do not require clearing as do bits in the Status Registers. However, the external interrupt source should be cleared once the interrupt has been serviced, or the interrupt request will be re-asserted.




Figure 14. ADM1024 Interrupt Register Structure

INTERRUPT CLEARING

Reading an Interrupt Status Register will output the contents of the Register, then clear it. It will remain cleared until the monitoring cycle updates it, so the next read operation should not be performed on the register until this has happened, or the result will be invalid. The time taken for a complete monitoring cycle is mainly dependent on the time taken to measure the fan speeds, as described earlier.

The $\overline{\text{INT}}$ output is cleared with the $\overline{\text{INT_Clear}}$ bit, which is Bit 3 of the Configuration Register, without affecting the contents of the Interrupt ($\overline{\text{INT}}$) Status Registers.

INTERRUPT STATUS MIRROR REGISTERS

Whenever a bit in one of the Interrupt Status Registers is updated, the same bit is written to duplicate registers at addresses 4Ch and 42h. These registers allow a second management system to access the status data without worrying about clearing the data. The data in these registers is for reading only and has no effect on the interrupt output.

TEMPERATURE INTERRUPT MODES

The ADM1024 has two distinct methods of producing interrupts for out-of-limit temperature measurements from the internal or external sensors. Temperature errors can generate an interrupt on the $\overline{\text{INT}}$ pin along with other interrupts, but there is also a separate $\overline{\text{THERM}}$ pin that generates an interrupt only for temperature errors.

Operation of the $\overline{\text{INT}}$ output for temperature interrupts is illustrated in figure 15. Assuming that the temperature starts off within the programmed limits and that temperature interrupt sources are not masked, $\overline{\text{INT}}$ will go low if the temperature measured by any of the internal or external sensors exceeds the programmed high temperature limit for that sensor, or the hardware limits in register 13h, 14h, 17h or 18h.




Figure 15. Operation of $\overline{\text{INT}}$ For Temperature Interrupts

Once the interrupt has been cleared, it will not be re-asserted even if the temperature remains above the high limit(s). However, $\overline{\text{INT}}$ will be re-asserted if:

- a) the temperature falls below the low limit for the sensor
- or
- b) the high limit is/are re-programmed to a new value, and the temperature then rises above the new high limit on the

next monitoring cycle

- or
- c) the $\overline{\text{THERM}}$ pin is pulled low externally, which sets bit 5 of Interrupt Status Register 1

or

- d) An interrupt is generated by another source.

Similarly, should the temperature measured by a sensor start off within limits then fall below the low limit, $\overline{\text{INT}}$ will be asserted. Once cleared, it will not be re-asserted unless:

- a) the temperature rises above the high limit

or

- b) the low limit is/are re-programmed, and the temperature then falls below the new low limit

or

- c) the $\overline{\text{THERM}}$ pin is pulled low externally, which sets bit 5 of Interrupt Status Register 1

or

- d) an interrupt is generated by another source.

$\overline{\text{THERM}}$ INPUT/OUTPUT

The Thermal Management Input/Output ($\overline{\text{THERM}}$) is a logic input/output with an internal, 100k Ω pullup resistor, that provides a separate output for temperature interrupts only. It is enabled by setting bit 2 of Configuration Register 1. The $\overline{\text{THERM}}$ output has two operating modes that can be programmed by bit 3 of Configuration Register 2 (address 4Ah). With this bit set to the default value of 0, the $\overline{\text{THERM}}$ output operates in "Default" interrupt mode. With this bit set to 1, the $\overline{\text{THERM}}$ output operates in "ACPI" mode.

Thermal interrupts can still be generated at the $\overline{\text{INT}}$ output while $\overline{\text{THERM}}$ is enabled, but if these are not required they can be masked by writing a 1 to bit 0 of Configuration Register 2 (address 4Ah). The $\overline{\text{THERM}}$ pin can also function as a logic input for an external sensor, for example a temperature sensor such as the ADM22105 used in figure 13b. If $\overline{\text{THERM}}$ is taken low by an external source, the analog output will be forced to FFh to switch a controlled fan to maximum speed. This also generates an $\overline{\text{INT}}$ output as described previously.

DEFAULT MODE

In Default mode, the $\overline{\text{THERM}}$ output operates like a thermostat with hysteresis. $\overline{\text{THERM}}$ will go low and bit 5 of Interrupt Status Register 2 will be set, if the temperature measured by any of the sensors exceeds the high limit programmed for that sensor. It will remain asserted until reset by reading Interrupt Status register 2, by setting bit 6 of Configuration Register 1, or when the temperature falls below the low limit programmed for that sensor.




Figure 16a. \overline{INT} or \overline{THERM} Output in Default Mode

If \overline{THERM} is cleared by reading the status register, it will be re-asserted after the next temperature reading and comparison if it remains above the high limit.

If \overline{THERM} is cleared by setting bit 6 of Configuration Register 1, it cannot be re-asserted until this bit is cleared.

\overline{THERM} will also be asserted if one of the hardware temperature limits at addresses 13h, 14h, 17h or 18h is exceeded for three consecutive measurements. When this happens, the analog output will be forced to FFh to boost a controlled cooling fan to full speed.

Reading Status Register 1 will not clear \overline{THERM} in this case, because errors caused by exceeding the hardware temperature limits are stored in a separate register that is not cleared by reading the status register. In this case, \overline{THERM} can only be cleared by setting bit 0 of Configuration Register 2.

\overline{THERM} will be cleared automatically if the temperature falls at least 5 degrees below the limit for three consecutive measurements.

ACPI MODE

In ACPI mode, \overline{THERM} only responds to the hardware temperature limits at addresses 13h, 14h, 17h and 18h, not to the software programmed limits.




Figure 16b. \overline{THERM} Output in ACPI Mode

\overline{THERM} will go low if either the internal or external hardware temperature limit is exceeded for three consecutive measurements. It will remain low until the temperature falls at least 5 degrees below the limit for three consecutive measurements. While \overline{THERM} is low, the analog output will go to FFh to boost a controlled fan to full speed.

RESET INPUT/OUTPUT

\overline{RESET} (pin 12) is an I/O pin that can function as an open-drain output, providing a low-going 20ms output pulse when bit 4 of the Configuration Register is set to 1, provided the reset function has first been enabled by setting bit 7 of Interrupt Mask Register #2 to 1. The bit is cleared automatically when the reset pulse is output. Pin 11 can also function as a \overline{RESET} input by pulling this pin low to reset the internal registers of the ADM1024 to default values. Only those registers that have power on default values as listed in Table 6 are affected by this function. The DAC register, Value and Limit Registers are not affected.

NAND TREE TESTS

A NAND tree is provided in the ADM1024 for Automated Test Equipment (ATE) board level connectivity testing. The device is placed into NAND Test Mode by powering up with pin 11 held high. This pin is sampled automatically after power-up and if it connected high, then the NAND test mode is invoked.

In NAND test mode, all digital inputs may be tested as illustrated below. NTEST_OUT/ADD will become the NAND tree output pin. To perform a NAND tree test all pins included in the NAND tree should be driven high.

The structure of the NAND tree is shown in figure 17.

Each pin can be toggled and a resulting toggle can be observed on NTEST_OUT/ADD.

Allow for a typical propagation delay of 500 ns.




Figure 17. NAND Tree

Note: If any of the inputs shown in figure 19 are unused, they should not be connected direct to ground, but via a resistor such as 10kΩ. This will allow the ATE (Automatic Test Equipment) to drive every input high so that the NAND tree test can be properly carried out.

USING THE ADM1024

POWER ON RESET

When power is first applied, the ADM1024 performs a “power on reset” on several of its registers. Registers whose power on values are not shown have power on conditions that are indeterminate (this includes the Value and Limit Registers). The ADC is inactive. In most applications, usually the first action after power on would be to write limits into the Limit Registers.

Power on reset clears or initializes the following registers (the initialized values are shown in Table 8 on page 19/20):

- Configuration Registers #1 and #2
- Channel Mode Register
- Interrupt ($\overline{\text{INT}}$) Status Registers #1 and #2
- Interrupt ($\overline{\text{INT}}$) Status Mirror Registers #1 and #2
- Interrupt ($\overline{\text{INT}}$) Mask Register #1 and #2
- VID /Fan Divisor Register
- VID4 Register
- Chassis Intrusion Clear Register
- Test Register
- Analog Output Register
- Hardware Trip Registers

INITIALIZATION

Configuration Register INITIALIZATION performs a similar, but not identical, function to power on reset. The Test Register and Analog Output register are not initialized.

Configuration Register INITIALIZATION is accomplished by setting Bit 7 of the Configuration Register high. This Bit automatically clears after being set.

USING THE CONFIGURATION REGISTERS

Control of the ADM1024 is provided through two configuration registers. The ADC is stopped upon power up, and the INT_Clear signal is asserted, clearing the $\overline{\text{INT}}$ output. The Configuration Registers are used to start and stop the ADM1024; enable or disable interrupt outputs and modes, and provides the initialization function described above.

Bit 0 of Configuration Register 1 controls the monitoring loop of the ADM1024. Setting Bit 0 low stops the monitoring loop and puts the ADM1024 into a low power mode thereby reducing power consumption. Serial bus communication is still possible with any register in the ADM1024 while in low-power mode. Setting Bit 0 high starts the monitoring loop.

Bit 1 of Configuration Register 1 enables or disables the $\overline{\text{INT}}$ Interrupt output. Setting Bit 1 high enables the $\overline{\text{INT}}$ output, setting bit 1 low disables the output.

Bit 2 of Configuration Register 1 enables or disables the $\overline{\text{THERM}}$ output. Setting Bit 1 high enables the $\overline{\text{INT}}$ output, setting bit 1 low disables the output.

Bit 3 of Configuration Register 1 is used to clear the $\overline{\text{INT}}$ interrupt output when set high. The ADM1024 monitoring function will stop until bit 3 is set low. Interrupt Status regis-

ter contents will not be affected.

Bit 4 of Configuration Register 1 causes a low-going 45ms (typ) pulse at the $\overline{\text{RESET}}$ pin (pin 12).

Bit 6 of Configuration Register 1 is used to clear an interrupt at the $\overline{\text{THERM}}$ output when it is set to 1.

Bit 7 of Configuration Register 1 is used to start a Configuration Register Initialization when it is set to 1.

Bit 0 of Configuration Register 2 is used to mask temperature interrupts at the $\overline{\text{INT}}$ output when it is set to 1. The $\overline{\text{THERM}}$ output is unaffected by this bit.

Bits 1 and 2 of Configuration Register 2 lock the values stored in the Local and Remote Fan Control Registers at addresses 13h and 14h. The values in these registers can then not be changed until a power-on reset is performed.

Bit 3 of Configuration Register 2 selects the $\overline{\text{THERM}}$ interrupt mode. The default value of 0 selects one-time mode. Setting this bit to 1 selects ACPI mode.

STARTING CONVERSION

The monitoring function (Analog inputs, temperature, and fan speeds) in the ADM1024 is started by writing to Configuration Register 1 and setting Start (Bit 0), high. The INT_Enable (Bit 1) should be set to 1, and $\overline{\text{INT}}$ Clear (Bit 3) set to 0 to enable interrupts. The $\overline{\text{THERM}}$ enable bit (bit 2) should be set to 1 and the $\overline{\text{THERM}}$ Clear bit (bit 6) should be set to 0 to enable temperature interrupts at the $\overline{\text{THERM}}$ pin. Apart from initially starting together, the analog measurements and fan speed measurements proceed independently, and are not synchronised in any way.

The time taken to complete the analog measurements depends on how they are configured, as described elsewhere. The time taken to complete the fan speed measurements depends on the fan speed and the number of tachometer output pulses per revolution.

Once the measurements have been completed, the results can be read from the Value Registers at any time.


REDUCED POWER AND SHUTDOWN MODE

The ADM1024 can be placed in a low-power mode by setting bit 0 of the Configuration register to 0. This disables the internal ADC. Full shutdown mode may then be achieved by setting bit 0 of the Test Register to 1. This turns off the analog output and stops the monitoring cycle, if running, but it does not affect the condition of any of the registers. The device will return to its previous state when this bit is reset to zero.

APPLICATION CIRCUIT

Figure 18 shows a generic application circuit using the ADM1024. The analog monitoring inputs are connected to the power supplies including two processor core voltage inputs. The VID inputs are connected to the processor Voltage ID pins. There are two tachometer inputs from fans, and the analog output is used to control the speed of a third fan. An opto-sensor for chassis intrusion detection is connected to the CI input. Of course, in an actual application, every input and output may not be used, in which case unused analog and digital inputs should be tied to analog or digital ground as appropriate.

Figure 18. ADM1024 Application Circuit



ADM1024 REGISTERS

TABLE 9. ADDRESS POINTER REGISTER

Bit	Name	R/W	Description
7-0	Address Pointer	Write	Address of ADM1024 Registers. See the tables below for detail.

TABLE 10. LIST OF REGISTERS

Hex	Description Address	Power on Value	Notes (Binary Bit 7 - 0)
13h	Internal Temp. Hardware Trip Point	= 70°C	Cannot be written to a higher value. Can be written to a lower value, but only if write once bit in Config. Reg. 2 has not been set.
14h	External Temp Hardware Trip Point	= 85°C	Cannot be written to a higher value. Can be written to a lower value, but only if write once bit in Config. Reg. 2 has not been set.
15h	Test Register	0000 0000	Setting Bit 0 of this register to 1 selects shutdown mode. Caution: Do Not write to any other bits in this register
16h	Channel Mode Register	0000 0000	This register configures the input channels and configures VID0 to VID as processor voltage ID or interrupt inputs
17h	Internal Temp Hardware Trip Point	= 70°C	Read Only. Cannot be changed.
18h	External Temp Hardware Trip Point	= 85°C	Read-Only. Cannot be changed.
19h	Programmed Value of Analog Output	1111 1111	
1Ah	AIN1 Low Limit	Indeterminate	
1Bh	AIN2 Low Limit	Indeterminate	
20h	+2.5V Measured Value/EXT Temp2	Indeterminate	Read Only
21h	+V _{CCP1} Measured Value	Indeterminate	Read Only
22h	V _{CC} Measured Value	Indeterminate	Read Only
23h	+5V Value	Indeterminate	Read Only. Stores +5V input reading
24h	+12V Measured Value	Indeterminate	Read Only.
25h	V _{CCP2} Measured Value	Indeterminate	Read Only
26h	Ext. Temp1 Value	Indeterminate	Read Only. Stores the measurement from a diode sensor connected to pins 13 and 14
27h	Internal Temp Value	Indeterminate	Read Only. This register is used to store 8 bits of the internal temperature reading.
28h	FAN1/AIN1 Value	Indeterminate	Read Only. Stores FAN1 or AIN1 reading depending on the configuration of pin 5
29h	FAN2/AIN1 Value	Indeterminate	Read Only. Stores FAN2 or AIN2 reading depending on the configuration of pin 6
2Ah	Reserved	Indeterminate	
2Bh	+2.5V/Ext. Temp2 High Limit	Indeterminate	Stores high limit for +2.5V input or, in temperature mode, this register stores the high limit for a diode sensor connected to pins 17 and 18

TABLE 10. LIST OF REGISTERS (CONTINUED)

Hex	Description Address	Power on Value	Notes (Binary Bit 7 - 0)
2Ch	+2.5V/Ext. Temp2 Low Limit	Indeterminate	Stores high limit for +2.5V input or, in temperature mode, this register stores the low limit for a diode sensor connected to pins 17 and 18
2Dh	+V _{CCP1} High Limit	Indeterminate	Stores V _{CCP1} high limit
2Eh	+V _{CCP1} Low Limit	Indeterminate	
2Fh	V _{CC} High Limit	Indeterminate	
30h	V _{CC} Low Limit	Indeterminate	
31h	+5V High Limit	Indeterminate	Stores high limit for 5V
32h	+5V Low Limit	Indeterminate	Stores low limit for 5V input
33h	+12V High Limit	Indeterminate	
34h	+12V Low Limit	Indeterminate	
35h	V _{CCP2} High Limit	Indeterminate	
36h	V _{CCP2} Low Limit	Indeterminate	
37h	Ext.Temp1. High Limit	Indeterminate	Stores high limit for a diode sensor connected to pins 13 and 14
38h	Ext Temp1. Low Limit	Indeterminate	Stores low limit for a diode sensor connected to pins 13 and 14
39h	Internal Temp. High Limit	Indeterminate	Stores the high limit for the internal temperature reading.
3Ah	Internal Temp. Low Limit	Indeterminate	Stores the low limit for the internal temperature reading.
3Bh	AIN1/FAN1 High Limit	Indeterminate	Stores high limit for AIN1 or FAN1, depending on the configuration of pin 5
3Ch	AIN2/FAN2 High Limit	Indeterminate	Stores high limit for AIN2 or FAN2, depending on the configuration of pin 6
3Dh	Reserved	Indeterminate	
3Eh	Company ID number	0100 0001	This location will contain the company identification number (Read Only)
3Fh	Revision number	0001 nnnn	Last four bits of this location will contain the revision number of the part. (Read Only)
40h	Configuration Register 1	0000 1000	See Table 11
41h	Interrupt $\overline{\text{INT}}$ Status Register 1	0000 0000	See Table 13
42h	Interrupt $\overline{\text{INT}}$ Status Register 2	0000 0000	See Table 14
43h	$\overline{\text{INT}}$ Mask Register 1	0000 0000	See Table 15
44h	$\overline{\text{INT}}$ Mask Register 2	0000 0000	See Table 16
46h	Chassis Intrusion Clear Register	0000 0000	See Table 17
47h	VID 0-3/Fan Divisor Register	0101 (VID3-VID0)	See Table 18
49h	VID 4 Register	1000 000(VID 4)	See Table 19
4Ah	Configuration Register 2	0000 0000	See Table 20

TABLE 10. LIST OF REGISTERS (CONTINUED)

Hex	Description Address	Power on Value	Notes (Binary Bit 7 - 0)
4Ch	Interrupt Status Register Mirror No. 1	0000 0000	See Table 21.
4Dh	Interrupt Status Register Mirror No.2	0000 0000	SeeTable 22.

TABLE 11. REGISTER 16H, CHANNEL MODE REGISTER (POWER ON DEFAULT = 00H)

Bit	Name	R/W	Description
0	FAN1/AIN1	R/W	Clearing this bit to 0 configures pin 5 as FAN1 input. Setting this bit to 1 configures pin 5 as AIN1. Power-on default = 0.
1	FAN2/AIN2	R/W	Clearing this bit to 0 configures pin 6 as FAN2 input. Setting this bit to 1 configures pin 6 as AIN2. Power-on default = 0.
2	2.5V,V _{CCP} /D2	R/W	Clearing this bit to 0 configures pins 18 and 19 to measure +2.5V and VCCP2. Setting this bit to 1 configures pins 18 and 19 as an input for a second remote temperature-sensing diode. Power-on default = 0
3	Int VCC	R/W	Clearing this bit to 0 sets the measurement range for the internal V _{CC} measurement to 3.3V. Setting this bit to 1 sets the internal VCC measurement range to 5V. Power-on default = 0
4	IRQ0 EN	R/W	Setting this bit to 1 enables pin 24 as an active high interrupt input, providedpins 20 to 24 have been configured as interrupts by setting bit 7 of the Channel Mode Register. Power-on default = 0
5	IRQ1 EN	R/W	Setting this bit to 1 enables pin 23 as an active high interrupt input, providedpins 20 to 24 have been configured as interrupts by setting bit 7 of the Channel Mode Register. Power-on default = 0
6	IRQ2 EN	R/W	Setting this bit to 1 enables pin 22 as an active high interrupt input, providedpins 20 to 24 have been configured as interrupts by setting bit 7 of the Channel Mode Register. Power-on default = 0
7	VID/IRQ	R/W	Clearing this bit to 0 configures pins 20 to 24 as processor voltage ID inputs. Setting this bit to 1 configures pins 20 to 24 as interrupt inputs. Power-on default = 0.

TABLE 12. REGISTER 40H, CONFIGURATION REGISTER 1 (POWER ON DEFAULT = 08H)

Bit	Name	R/W	Description
0	START	R/W	Logic 1 enables startup of ADM1024, logic 0 places it in standby mode. Caution: The outputs of the Interrupt pins will not be cleared if the user writes a zero to this location after an interrupt has occurred (see “INT Clear” bit). At startup, limit checking functions and scanning begins. Note, all high and low limits should be set into the ADM1024 prior to turning on this bit. (Powerup default=0)
1	$\overline{\text{INT}}$ _Enable	R/W	Logic 1 enables the $\overline{\text{INT}}$ output. 1=Enabled 0=Disabled (Powerup Default = 0)
2	$\overline{\text{THERM}}$	R/W	0 = $\overline{\text{THERM}}$ disabled 1 = $\overline{\text{THERM}}$ enabled
3	INT_Clear	R/W	During Interrupt Service Routine (ISR) this bit is asserted logic 1 to clear $\overline{\text{INT}}$ output without affecting the contents of the Interrupt Status Register. The device will stop monitoring. It will resume upon clearing of this bit. (Powerup default=1)
4	$\overline{\text{RESET}}$	R/W	Setting this bit generates a low-going 45ms reset pulse at pin 12. This bit is self-clearing and power-up default is 0
5	Reserved	R/W	Default = 0
6	$\overline{\text{THERMCLR}}$	R/W	A one clears the $\overline{\text{THERM}}$ output without changing the Status Register contents.
7	Initialization	R/W	Logic 1 restores powerup default values to the Configuration register, Interrupt status registers, Interrupt Mask Registers, Fan Divisor Register, and the Temperature Configuration Register. This bit automatically clears itself since the power on default is zero.

TABLE 13. REGISTER 41H, INTERRUPT STATUS REGISTER 1 (POWER ON DEFAULT = 00H)

BIT	Name	R/W	Description
0	+2.5V/Ext. Temp2 Error	Read Only	A one indicates that a High or Low limit has been exceeded
1	V _{CCP1} Error	Read Only	A one indicates that a High or Low limit has been exceeded
2	V _{CC} Error	Read Only	A one indicates that a High or Low limit has been exceeded
3	+5V Error	Read Only	A one indicates that a High or Low limit has been exceeded
4	Int. Temp Error	Read Only	A one indicates that a temperature interrupt has been set, or that a High or Low limit has been exceeded
5	Ext. Temp1 Error	Read Only	A one indicates that a temperature interrupt has been set, or that a High or Low limit has been exceeded
6	FAN1/AIN1 Error	Read Only	A one indicates that a High or Low limit has been exceeded.
7	FAN2/AIN2 Error	Read Only	A one indicates that a High or Low limit has been exceeded.

TABLE 14. REGISTER 42H, INTERRUPT STATUS REGISTER 2 (POWER ON DEFAULT = 00H)

BIT	Name	R/W	Description
0	+12V Error	Read Only	A one indicates a High or Low limit has been exceeded,
1	V _{CCP2} Error	Read Only	A one indicates a High or Low limit has been exceeded
2	Reserved	Read Only	Undefined
3	Reserved	Read Only	Undefined
4	Chassis Error	Read Only	A one indicates Chassis Intrusion has gone high.
5	$\overline{\text{THERM}}$ Interrupt	Read Only	Indicates that $\overline{\text{THERM}}$ pin has been pulled low by an external source
6	D1 Fault	Read Only	Short or open-circuit sensor diode D1
7	D2 Fault	Read Only	Short or open-circuit sensor diode D2

Note: Anytime the STATUS Register is read out, the conditions (i.e. Register) that are read are automatically reset. In the case of the channel priority indication, if two or more channels were out of limits, then another indication would automatically be generated if it was not handled during the ISR.

In the Mask Register, the errant voltage interrupt may be disabled, until the operator has time to clear the errant condition or set the limit higher/lower.

TABLE 15. REGISTER 43H, $\overline{\text{INT}}$ INTERRUPT MASK REGISTER 1 (POWER ON DEFAULT = 00H)

BIT	Name	R/W	Description
0	+2.5V/Ext. Temp2	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
1	+V _{CCP1}	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
2	V _{CC}	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
3	+5V	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
4	Int. Temp	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
5	Ext. Temp1	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
6	FAN1/AIN1	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
7	FAN2/AIN2	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.

TABLE 16. REGISTER 44H, $\overline{\text{INT}}$ MASK REGISTER 2 (POWER ON DEFAULT = 00H)

Bit	Name	R/W	Description
0	+12V	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt
1	V _{CCP2}	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt
2	Reserved	Read/Write	Power up default set to Low.
3	Reserved	Read/Write	Power up default set to Low.
4	CI	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt.
5	$\overline{\text{THERM}}$ (input)	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt
6	D1 Fault	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt
7	D2 Fault	Read/Write	A one disables the corresponding interrupt status bit for $\overline{\text{INT}}$ interrupt

TABLE 17. REGISTER 46H, CHASSIS INTRUSION CLEAR (POWER ON DEFAULT = 00H)

Bit	Name	R/W	Description
0-6	Reserved	Read Only	Undefined , always reads as 00h
7	Chassis Int. Clear.	Read/Write	A one outputs a minimum 20 ms active low pulse on the Chassis Intrusion pin. The register bit clears itself after the pulse has been output.

TABLE 18. REGISTER 47H, VID0-3/FAN DIVISOR REGISTER (POWER ON DEFAULT 0101 (VID 3-0))

Bit	Name	R/W	Description
0-3	VID	Read	The VID[3:0] inputs from processor core power supplies to indicate the operating voltage (e.g. 1.3V to 3.5V)
4-5	FAN1 Divisor	Read/Write	Sets counter prescaler for fan1 speed measurement <5:4> = 00 - divide by 1 <5:4> = 01 - divide by 2 <5:4> = 10 - divide by 4 <5:4> = 11 - divide by 8.
6-7	FAN2 Divisor	Read/Write	Sets counter prescaler for fan 2 speed measurement <7:6> = 00 - divide by 1 <7:6> = 01 - divide by 2 <7:6> = 10 - divide by 4 <7:6> = 11 - divide by 8

TABLE 19. REGISTER 49H, VID 4/DEVICE ID REGISTER (POWER ON DEFAULT 1000000(VID4))

Bit	Name	R/W	Description
0	VID 4	Read Only	VID 4 Input from Pentium
1-7	Reserved	Read Only	Undefined, always reads as 1000 000(VID4)

TABLE 20. REGISTER 4AH, CONFIGURATION REGISTER 2 (POWER ON DEFAULTS [7:0] = 0X00H)

Bit	Name	R/W	Description
0	Thermal $\overline{\text{INT}}$ Mask	Read / Write	Setting this bit masks the thermal interrupts for the $\overline{\text{INT}}$ output ONLY. The $\overline{\text{THERM}}$ output will still be generated, regardless of the setting of this bit.
1	Ambient Temp Fan Control Register Write Once Bit	Read/Write Once	Writing a one to this bit will lock in the values set into the ambient temperature automatic fan control register 13h. This register will not be able to be written again until a power on reset is performed.
2	Remote Temp Fan Control Register Write Once Bit	Read/Write Once	Writing a one to this bit will lock in the values set into the remote temperature automatic fan control register 14h. This register will not be able to be written again until a power on reset is performed.
3	$\overline{\text{THERM}}$ Interrupt Mode	Read/Write	If this bit is 0 the $\overline{\text{THERM}}$ output operates in default mode. If this bit is 1, the $\overline{\text{THERM}}$ output operates in ACPI mode.
4,5	Reserved	Read Only	Reserved
6	IRQ3 EN	Read/Write	Setting this bit to 1 enables pin 21 as an active high interrupt input, provided pins 20 to 24 have been configured as interrupts by setting bit 7 of the Channel Mode Register. Power-on default = 0.
7	IRQ4 EN	Read/Write	Setting this bit to 1 enables pin 20 as an active high interrupt input, provided pins 20 to 24 have been configured as interrupts by setting bit 7 of the Channel Mode Register. Power-on default = 0.

TABLE 21. REGISTER 4CH, INTERRUPT STATUS REGISTER 1 MIRROR (POWER ON DEFAULT <7:0> = 00H)

Bit	Name	Read/Write	Description
0	2.5V/Ext. Temp2 Err.	Read Only	A one indicates that a High or Low limit has been exceeded
1	V _{CCP1} Error	Read Only	A one indicates that a High or Low limit has been exceeded
2	V _{CC} Error	Read Only	A one indicates that a High or Low limit has been exceeded
3	+5V Error	Read Only	A one indicates that a High or Low limit has been exceeded
4	Int. Temp Error	Read Only	A one indicates that a temperature interrupt has been set, or that a High or Low limit has been exceeded
5	Ext. Temp1 Error	Read Only	A one indicates that a temperature interrupt has been set, or that a High or Low limit has been exceeded
6	FAN1/AIN1 Error	Read Only	A one indicates that a High or Low limit has been exceeded.
7	FAN2/AIN2 Error	Read Only	A one indicates that a High or Low limit has been exceeded.

TABLE 22. REGISTER 4DH, INTERRUPT STATUS REGISTER 2 MIRROR (POWER ON DEFAULT <7:0> = 00 H)

Bit	Name	Read/Write	Description
0	+12V Error	Read Only	A one indicates a High or Low limit has been exceeded,
1	V _{CCP2} Error	Read Only	A one indicates a High or Low limit has been exceeded
2	Reserved	Read Only	Undefined
3	Reserved	Read Only	Undefined
4	Chassis Error	Read Only	A one indicates Chassis Intrusion has gone high.
5	$\overline{\text{THERM}}$ Interrupt	Read Only	Indicates that $\overline{\text{THERM}}$ pin has been pulled low by an external source
6	D1 Fault	Read Only	Short or open-circuit sensor diode D1
7	D2 Fault	Read Only	Short or open-circuit sensor diode D2


Note: An error that causes continuous interrupts to be generated may be masked in its respective mask register, until the error can be alleviated.

PRELIMINARY
 TECHNICAL
 DATA

OUTLINE DIMENSIONS

Dimensions shown in inches and (mm).

24-Pin TSSOP Package (RU-24)



PRELIMINARY
TECHNICAL
DATA